

Khandelwal Ayurved Bhawan Pvt. Ltd.

71, Jhalaniyo ka chowk, Village Watika,
Jaipur, Rajasthan-303905

Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-11-07925

Sample Name: Pure Shilajit 30g

Sample quantity: 30g x 5 Nos

Sample Appearance: Black Colour Paste

Condition on receipt: Good

Sample packing: Trade Pack

Environmental Condition: Not Applicable

Customer provided details: B. No. : 251025 | Mfg. :
10/2025 | Exp : 09/2028

Received On: 22/11/2025

Analysed between: 25/11/2025 to 26/11/2025

Sampling Details: Not Sampled By Eureka

Sampling Procedure: Not Applicable

Sampling date: Not Applicable

Sampling Location: Not Applicable

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****