

Khandelwal Ayurved Bhawan Pvt. Ltd.

71, Jhalaniyo ka chowk, Village Watika,
Jaipur, Rajasthan-303905

Scan for Authentication

ANALYTICAL REPORT

Sample code :EKA1-24-10-00161

Sample Name: Shilajit

Sample quantity: 50g x 4no.

Sample Appearance: Brown Colour Paste

Condition on receipt: Good

Sample packing: Glass Jar

Environmental Condition: Not Applicable

Customer provided details: Batch no. : 420124 | Mfg. :
01/2024 | Exp. : 12/2026

Received On: 16/09/2024

Analysed between: 09/10/2024 to 09/10/2024

Sampling Details: Not Sampled By Eureka

Sampling Procedure: Not Applicable

Sampling date: Not Applicable

Sampling Location: Not Applicable

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
CHEMICAL						
1	E1NI2321	Gluten Allergen	EKA-CHE-SOP-26	<5.00	mg/kg	5.0

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Note: Parameter subcontracted to Approved Laboratory Unjha

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732